



WCAG 2.1 Level AA Success Criteria

# COMPLIANCE AUDIT

For [thekentmotel.com](https://thekentmotel.com) | Verdict: **Compliant!**

accessiBe is the web accessibility **market leader**, powering the accessibility of **tens-of-thousands** of websites, from **small businesses** to industry-leading **enterprises**.

This audit evaluates the adherence level of **thekentmotel.com** as of Thu Mar 23 2023, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

This audit is subjected to the [terms of service](#)

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	14	0	100%

### Code snapshots of some successful elements

```
<button class="slick-prev slick-arrow" aria-label="Previous" type="button" style="" >Previous</button>
```

```
<button class="slick-next slick-arrow" aria-label="Next" type="button" style="" >Next</button>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer" role="button" tabindex="0" >Spendy</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-2" role="button" tabindex="0" >Thirsty</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-3" role="button" tabindex="0" >Hungry</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-4" role="button" tabindex="0" >Energetic</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-5" role="button" tabindex="0" >Curious</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-6" role="button" tabindex="0" >Artsy</label>
```

```
<button type="button" role="tab" id="slick-slide-control00" aria-controls="slick-slide00" aria-label="1 of 3" tabindex="-1" >1</button>
```

```
<button type="button" role="tab" id="slick-slide-control01" aria-controls="slick-slide01" aria-label="2 of 3" tabindex="0" aria-selected="true" >2</button>
```

2 Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.

Yes

14

0

100%

### Code snapshots of some successful elements

```
<button class="slick-prev slick-arrow" aria-label="Previous" type="button" style="" >Previous</button>
```

```
<button class="slick-next slick-arrow" aria-label="Next" type="button" style="" >Next</button>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer" role="button" tabindex="0" >Spendy</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-2" role="button" tabindex="0" >Thirsty</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-3" role="button" tabindex="0" >Hungry</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-4" role="button" tabindex="0" >Energetic</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-5" role="button" tabindex="0" >Curious</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-6" role="button" tabindex="0" >Artsy</label>
```

```
<button type="button" role="tab" id="slick-slide-control00" aria-controls="slick-slide00" aria-label="1 of 3" tabindex="-1" >1</button>
```

```
<button type="button" role="tab" id="slick-slide-control01" aria-controls="slick-slide01" aria-label="2 of 3" tabindex="0" aria-selected="true" >2</button>
```

3 Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.

Yes

88

0

100%

### Code snapshots of some successful elements

```
<a class="scroller__link meta color--white" href="https://thekentmotel.com/wp-content/uploads/2023/03/the-kent_Q1-2023.pdf" target="_blank" rel="noopener" > View our current events &amp; promotions </a>
```

```
<a class="nav__link" href="../#the-motel" >The Motel</a>
```

```
<a class="nav__link" href="../#the-rooms" >The Rooms</a>
```

```
<a href="/" title="" >  </a>
```

```
<a class="nav__link" href="../#explore" >Explore</a>
```

```
<a class="nav__link" href="../#find-us" >Find Us</a>
```

```
<a href="https://hotels.cloudbeds.com/reservation/857PCf#checkin=2021-12-16&amp;checkout=2021-12-17" target="_blank" class="btn-primary" rel="noreferrer noopener" aria-label="opens in new window" >Book Now</a>
```

```
<a href="https://hotels.cloudbeds.com/reservation/857PCf#checkin=2021-12-16&amp;checkout=2021-12-17" rel="noopener" aria-label="opens in new window" class="btn-large" target="_blank" ><span class="hero__btn">Book Your Visit With Us</span></a>
```

```
<a href="#standard-single-queen" class="room-gallery__photos bkgd--mahogany" tabindex="0" >More Photos</a>
```

```
<a href="https://hotels.cloudbeds.com/reservation/857PCf#room_type=203" target="_blank" class="btn-primary inline-block m-t-15" rel="noreferrer noopener" aria-label="opens in new window" tabindex="0" >Book This Room</a>
```

4 Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.

Yes

45

2

96%

### Code snapshots of some successful elements

```
<a href="https://hotels.cloudbeds.com/reservation/857PCf#checkin=2021-12-16&checkout=2021-12-17" target="_blank" class="btn-primary" rel="noreferrer noopener" aria-label="opens in new window" >Book Now</a>
```

```
<a href="https://hotels.cloudbeds.com/reservation/857PCf#checkin=2021-12-16&checkout=2021-12-17" rel="noopener" aria-label="opens in new window" class="btn-large" target="_blank" ><span class="hero__btn">Book Your Visit With Us</span></a>
```

```
<a href="https://hotels.cloudbeds.com/reservation/857PCf#room_type=203" target="_blank" class="btn-primary inline-block m-t-15" rel="noreferrer noopener" aria-label="opens in new window" tabindex="0" >Book This Room</a>
```

```
<a href="https://www.lakeshoreantiques.ca/" target="_blank" rel="noopener" class="btn-text" aria-label="opens in new window" >VISIT</a>
```

```
<a href="https://www.bloomandcompany.ca/" target="_blank" rel="noopener" class="btn-text" aria-label="opens in new window" >VISIT</a>
```

```
<a href="https://antiquesoncreek.com/" target="_blank" rel="noopener" class="btn-text" aria-label="opens in new window" >VISIT</a>
```

```
<a href="https://www.southbrook.com/" target="_blank" rel="noopener" class="btn-text" aria-label="opens in new window" >VISIT</a>
```

```
<a href="https://kewvineyards.com/" target="_blank" rel="noopener" class="btn-text" aria-label="opens in new window" >VISIT</a>
```

```
<a href="http://www.thegrists.ca/" target="_blank" rel="noopener" class="btn-text" aria-label="opens in new window" >VISIT</a>
```

```
<a href="https://www.fiverows.com/" target="_blank" rel="noopener" class="btn-text" aria-label="opens in new window" >VISIT</a>
```

### Code snapshots of some failed elements

```
<a class="scroller__link meta color--white" href="https://thekentmotel.com/wp-content/uploads/2023/03/the-kent_Q1-2023.pdf" target="_blank" rel="noopener" > View our current events & promotions </a>
```

```
<a class="sbi_photo sbi_imgLiquid_bgSize sbi_imgLiquid_ready" href="https://www.instagram.com/p/CjGm9FU05Fj/" target="_blank" rel="noopener nofollow" data-full-res="https://thekentmotel.com/wp-content/uploads/sb-instagram-feed-images/309223907_636030..."
```

---

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%
---	--	-----	------	---	------

### Code snapshots of some successful elements

```
<h1 class="h2 m-b-10 m-t-0">A Motor Inn with a Modern Twist</h1>
```

---

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	9	0	100%
---	---	-----	---	---	------

---

7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	Yes	Pass	-	100%
---	--	-----	------	---	------

### Code snapshots of some successful elements

```
<span class="h4 block m-b-10" role="heading">4.6 Star<br>Reviews</span>
```

---

should be built with consistent hierarchy.

For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.

---

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	6	0	100%
---	---	-----	---	---	------

### Code snapshots of some successful elements

```
<label class="accordion-drawer__title h4" for="accordion-drawer" role="button" tabindex="0" >Spendy</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-2" role="button" tabindex="0" >Thirsty</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-3" role="button" tabindex="0" >Hungry</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-4" role="button" tabindex="0" >Energetic</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-5" role="button" tabindex="0" >Curious</label>
```

```
<label class="accordion-drawer__title h4" for="accordion-drawer-6" role="button" tabindex="0" >Artsy</label>
```

---

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	No	Fail	-	-
----	---	----	------	---	---

---

11	Active popups should include an "aria-modal" attribute that equals to "true", and a	No	0	0	-
----	---	----	---	---	---

within it.

12 Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.

Yes

Pass

-

100%

### Code snapshots of some successful elements

```
<a class="skip-to-content-link" href="#main" role="button" > Skip to content </a>
```

```
<a href="#deluxe-king-suite" class="room-gallery__photos bkgd--mahogany" tabindex="-1" >More Photos</a>
```

```
<a href="#premium-single-queen" class="room-gallery__photos bkgd--mahogany" tabindex="-1" >More Photos</a>
```

```
<a href="#standard-double-queen" class="room-gallery__photos bkgd--mahogany" tabindex="-1" >More Photos</a>
```

```
<a href="#double-queen-suite" class="room-gallery__photos bkgd--mahogany" tabindex="-1" >More Photos</a>
```

```
<a href="#premium-king-suite" class="room-gallery__photos bkgd--mahogany" tabindex="-1" >More Photos</a>
```

```
<a href="#standard-single-queen" class="room-gallery__photos bkgd--mahogany" tabindex="-1" >More Photos</a>
```

```
<a href="#room-gallery" class="light-modal-close-icon" aria-label="close" >  </a>
```

```
<a href="#room-gallery" class="light-modal-close-icon" aria-label="close" >  </a>
```



## Code snapshots of some failed elements

```
<a href="https://hotels.cloudbeds.com/reservation/857PCf#room_type=202" target="_blank" class="btn-primary inline-block m-t-15" rel="noreferrer no opener" aria-label="opens in new window" tabindex="-1" >Book This Room</a>
```

```
<a href="https://hotels.cloudbeds.com/reservation/857PCf#room_type=101" target="_blank" class="btn-primary inline-block m-t-15" rel="noreferrer no opener" aria-label="opens in new window" tabindex="-1" >Book This Room</a>
```

```
<a href="https://hotels.cloudbeds.com/reservation/857PCf#room_type=104" target="_blank" class="btn-primary inline-block m-t-15" rel="noreferrer no opener" aria-label="opens in new window" tabindex="-1" >Book This Room</a>
```

```
<a href="https://hotels.cloudbeds.com/reservation/857PCf#room_type=102" target="_blank" class="btn-primary inline-block m-t-15" rel="noreferrer no opener" aria-label="opens in new window" tabindex="-1" >Book This Room</a>
```

```
<a href="https://hotels.cloudbeds.com/reservation/857PCf#room_type=109;209" target="_blank" class="btn-primary inline-block m-t-15" rel="noreferrer no opener" aria-label="opens in new window" tabindex="-1" >Book This Room</a>
```

```
<a href="https://hotels.cloudbeds.com/reservation/857PCf#room_type=203" target="_blank" class="btn-primary inline-block m-t-15" rel="noreferrer no opener" aria-label="opens in new window" tabindex="-1" >Book This Room</a>
```

---

13	<a href="#">Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.</a>	No	0	0	-
14	<a href="#">Elements that are hidden using CSS manipulations (opacity, height, text-indent, "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.</a>	No	0	0	-

---

have it dynamically changed to U when they become visible.

---

15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	2	0	100%
----	--	-----	---	---	------

#### Code snapshots of some successful elements

```
<nav class="footer__left-menu m-t-20--sm"> <span class="meta m-b-20">Comp  
any</span> <ul class="list list__no-bullets" > <li><a href="/local-bount  
y" >Local Bounty</a></li> <li><a href="/faq" >FAQ</a></li> <li><a href="/  
contact-us" >Con...
```

```
<nav class="footer__right-menu"> <span class="meta m-b-20">Social</span>  
<ul class="list list__no-bullets" > <li> <a href="https://www.facebook.co  
m/kentmotel/" target="_blank" rel="noreferrer noopener" aria-label="opens  
in new window" >...
```

---

16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	No	0	0	-
----	--	----	---	---	---

---

17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	No	0	0	-
----	--	----	---	---	---

---

18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	20	1	95%
----	--	-----	----	---	-----

#### Code snapshots of some successful elements

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-
20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	Pass	-	100%

### Code snapshots of some successful elements

```
<span class="sbi-screenreader" ></span>
```

21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0	-
22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-

element describing the requirement of the field (email, phone, name, etc.).

### Code snapshots of some successful elements

```
<input type="email" value="" name="EMAIL" class="required email" placeholder="email address" id="mce-EMAIL" aria-required="true" aria-label="email address">
```

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	3	6	33%

### Code snapshots of some successful elements

```
<div class="testimonial__slide slick-slide" data-slick-index="0" aria-hidden="true" style="width: 1000px;" tabindex="-1" role="tabpanel" id="slick-slide00" aria-describedby="slick-slide-control00"> <p class="meta">WHAT OUR GUESTS ARE SA...
```

```
<div class="testimonial__slide slick-slide slick-current slick-active" data-slick-index="1" aria-hidden="false" style="width: 1000px;" tabindex="0" role="tabpanel" id="slick-slide01" aria-describedby="slick-slide-control01"> <p class="m...
```

```
<div class="testimonial__slide slick-slide" data-slick-index="2" aria-hidden="true" style="width: 1000px;" tabindex="-1" role="tabpanel" id="slick-slide02" aria-describedby="slick-slide-control02"> <p class="meta" >WHAT OUR GUESTS ARE S...
```

### Code snapshots of some failed elements

```
<div class="light-modal" id="premium-single-queen" role="dialog" aria-labelledby="light-modal-label" aria-hidden="false" > <div class="light-modal-content animated zoomInUp" > <a href="#room-gallery" class="light-modal-close-icon" aria-label="c...
```

```
<div class="light-modal" id="double-queen-suite" role="dialog" aria-labelledby="light-modal-label" aria-hidden="false" > <div class="light-modal-content animated zoomInUp" > <a href="#room-gallery" class="light-modal-close-icon" aria-label="clo...
```

```
<div class="light-modal" id="deluxe-king-suite" role="dialog" aria-labelledby="light-modal-label" aria-hidden="false" > <div class="light-modal-content animated zoomInUp" > <a href="#room-gallery" class="light-modal-close-icon" aria-label="clos...
```

```
<div class="light-modal" id="standard-double-queen" role="dialog" aria-labelledby="light-modal-label" aria-hidden="false" > <div class="light-modal-content animated zoomInUp" > <a href="#room-gallery" class="light-modal-close-icon" aria-label="...
```

```
<div class="light-modal" id="standard-single-queen" role="dialog" aria-labelledby="light-modal-label" aria-hidden="false" > <div class="light-modal-content animated zoomInUp" > <a href="#room-gallery" class="light-modal-close-icon" aria-label="...
```

```
<div class="light-modal" id="premium-king-suite" role="dialog" aria-labelledby="light-modal-label" aria-hidden="false" > <div class="light-modal-content animated zoomInUp" > <a href="#room-gallery" class="light-modal-close-icon" aria-label="clo...
```

## Code snapshots of some successful elements

```
<form action="https://southlandginn.us18.list-manage.com/subscribe/post?u=23123fb717010a2ee67850051&id=6d5a97eed6" method="post" id="mc-embedded-subscribe-form" name="mc-embedded-subscribe-form" class="validate" target="_blank" novalidate=""> ...
```

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%

## Code snapshots of some successful elements

```
<title>The Kent Motel | A Motor Inn with a Modern Twist</title>
```

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
----	--	-----	------	---	------

## Code snapshots of some successful elements

```
<html lang="en-CA" class="webp webp-alpha webp-animation webp-lossless">  
<head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, minimal-ui, initial-scale=1.0"> <meta name="description" content="A Motor Inn with ...
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100%
----	--	-----	------	---	------

```
<meta name="viewport" content="width=device-width, minimal-ui, initial-scale=1.0">
```

---

34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	3	0	100%
----	---	-----	---	---	------

#### Code snapshots of some successful elements

```
<main class="m-0" id="main"> <section class="intro m-tb-50--sm m-tb-120--md" id="the-motel"> <div class="grid__container"> <div class="grid__row grid__row--vcenter grid__row--hcenter"> <div class="grid__cell grid__cell__small--1...>
```

```
<footer class="border-tb"> <div class="grid__container"> <div class="grid__row grid__row--vcenter grid__row--hcenter p-tb-40"> <div class="grid__cell grid__cell__small--12 grid__cell__medium--3 text-center"> <div class="f...>
```

---

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	No	0	61	-
----	---	----	---	----	---

#### Code snapshots of some successful elements

```
<button class="slick-prev slick-arrow" aria-label="Previous" type="button" style="" >Previous</button>
```

```
<button class="slick-next slick-arrow" aria-label="Next" type="button" style="" >Next</button>
```

```
<address class="meta m-b-5">855 Lakeshore Rd, NOTL</address>
```

```
<a class="meta phone-number m-b-10" href="tel:905-646-1965" >PH: (905) 64
```



```
<address class="meta m-b-5">247 Four Mile Creek Road, St. Davids</address>
```

```
<a class="meta phone-number m-b-10" href="tel:289-296-2372" >PH: (289) 296-2372</a>
```

```
<address class="meta m-b-5">1579 Four Mile Creek Road, NOTL</address>
```

```
<a class="meta phone-number m-b-10" href="tel:905-468-1995" >(905) 468-1995</a>
```

```
<address class="meta m-b-5">1648 York Rd RR 1, NOTL</address>
```

```
<a class="meta phone-number m-b-10" href="tel:905-262-4196" >(905) 262-4196</a>
```

---

36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
----	---	-----	------	---	------

---

37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	24	201	11%
----	--	-----	----	-----	-----

### Code snapshots of some successful elements

```
<a class="scroller__link meta color--white" href="https://thekentmotel.com/wp-content/uploads/2023/03/the-kent_Q1-2023.pdf" target="_blank" rel="noopener" > View our current events & promotions </a>
```

```
<a class="nav__link" href="../#the-motel" >The Motel</a>
```

```
<a class="nav__link" href="../#the-rooms" >The Rooms</a>
```

```
<a class="nav__link" href="../#explore" >Explore</a>
```

```
<a class="nav__link" href="../#find-us" >Find Us</a>
```

```
<a href="https://hotels.cloudbeds.com/reservation/857PCf#checkin=2021-12-16&checkout=2021-12-17" target="_blank" class="btn-primary" rel="noreferrer noopener" aria-label="opens in new window" >Book Now</a>
```

```
<span class="hero__btn">Book Your Visit With Us</span>
```

```
<span class="label">Check-In:</span>
```

```
<span class="label">Checkout:</span>
```

```
<a href="#standard-single-queen" class="room-gallery__photos bkgd--mahogany" tabindex="0" >More Photos</a>
```

#### Code snapshots of some failed elements

```
<div class="splw-lite-header-title">Queenston, CA</div>
```

```
<div class="splw-lite-current-time">March 23 </div>
```

```
<span class="cur-temp"> 7°</span>
```

```
<h1 class="h2 m-b-10 m-t-0">A Motor Inn with a Modern Twist</h1>
```

```
<p class="intro">The Kent Motel is an easy-going, boho-inspired motel with a nod to the motor inn and the spirit of highway adventure. As the eclectic, modern companion to the chic, historic South Landing Inn, this boutique motel offers 18 rooms of d...
```

```
<p>Recent upgrades feature clean, crisp bathrooms, gas fireplaces, and up-cycled, vintage decor as part of a broader motel revival across North America. Built on the site of one of Canada's first railway stations and overlooking the Niagara River, th...
```

```
<h2 class="h1 m-b-10 m-t-0">The Rooms</h2>
```

```
<p class="intro">The Kent Motel has a variety of rooms that cater to the needs of road warriors and sophisticated travellers alike. The rooms are tastefully furnished with upcycled vintage decor and boho-chic antiques that offer a warm repose. Each r...
```

```
<p>The guest lounge is coming soon!</p>
```

```
<span class="time">4:00pm</span>
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	Yes	4	0	100%

### Code snapshots of some successful elements

```
<button class="slick-prev slick-arrow" aria-label="Previous" type="button" style="" >Previous</button>
```

```
<button class="slick-next slick-arrow" aria-label="Next" type="button" style="" >Next</button>
```

40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
----	---	----	---	---	---

41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	Yes	3	0	100%
----	---	-----	---	---	------

### Code snapshots of some successful elements

```
<button type="button" role="tab" id="slick-slide-control00" aria-controls="slick-slide00" aria-label="1 of 3" tabindex="-1" >1</button>
```

```
<button type="button" role="tab" id="slick-slide-control01" aria-controls="slick-slide01" aria-label="2 of 3" tabindex="0" aria-selected="true" >2</button>
```

```
<button type="button" role="tab" id="slick-slide-control02" aria-controls="slick-slide02" aria-label="3 of 3" tabindex="-1" >3</button>
```

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
46	Breadcrumbs main element should include	No	0	0	-

the functionality."

47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	No	0	0	-
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	2	0	100%

### Code snapshots of some successful elements

```
<iframe src="https://snazzymaps.com/embed/356454" class="m-t-20--sm" width="100%" height="450px" style="border:none;" title="Google Map of The Kent Motel location"></iframe>
```

```
<iframe id="thn-cross-store" sandbox="allow-scripts allow-same-origin" style="display: none; position: absolute; top: -999px; left: -999px;" src="https://www.thehotelsnetwork.com/widget/core/latest/hub/" ></iframe>
```